

Naval Health Research Center Detachment (Toxicology)

Feb 2003

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

Known Harmful Effects Of Constituents of Jet Oil Smoke

TOXDET-03-04

Andrew J. Bobb¹, Ph.D., USNR
Kenneth R. Still, Ph.D., MSc, USN

1. Naval Health Research Center Detachment (Toxicology) – NHRC/TD
Bldg 433
2612 5th St.
Wright-Patterson AFB, OH 45433-7903

Correspondence to LT Andrew J. Bobb at NHRC/TD



20030306 071

KNOWN HARMFUL EFFECTS OF CONSTITUENTS OF JET OIL CABIN SMOKE

Andrew J. Bobb, PhD
LT MSC USNR
Kenneth R. Still, Ph.D, MSC, USN



Naval Health Research Center Detachment (Toxicology)
Wright-Patterson AFB, OH

February 2003

(This page intentionally left blank)

ABSTRACT

The construction of cabin pressurization systems of certain commercial aircraft allows pyrolyzed jet oil to leak into the cabin air, often producing visible smoke. The principal toxic constituents of this smoke are tricresyl phosphate, carbon monoxide, and N-phenyl-L-naphthylamine. Long-term neurological effects alleged by airline workers could be due to tricresyl phosphate and/or carbon monoxide exposure.

(This page intentionally left blank)

GENERATION AND CONSTITUENTS OF JET OIL CABIN SMOKE

The BAe-146 aircraft uses precombustion air from the jet engines to pressurize the cabin. At the point at which it is bled off, the air is at a temperature of approximately 500 °C. Failing oil seals can permit leakage of jet oil into the air prior to its being bled off (1). Catalytic converters are designed to remove pollutants, but are insufficient in the event of a seal failure; smoke can often be observed in the cabin (1). A number of complaints have been made by personnel working on these commercial aircraft of long-term neurological effects. Investigations of jet oils under simulated pyrolysis conditions found tricresyl phosphates and Carbon monoxide (CO), as well as some Carbon dioxide (CO₂); trimethyl propane phosphate, Nitrogen dioxide (NO₂) and Hydrogen cyanide (HCN) were not found (1). Other potential constituents were not specifically addressed.

TRICRESYL PHOSPHATE

Tricresyl phosphate (CAS 1330-78-5) is a mixture of isomers, with the primary toxic form being the ortho isomer; formulations made in recent decades have had decreased levels of the toxic isomer (2). Studies using oral dosing suggest that current formulations have a fairly high threshold to produce an acute effect: doses of up to 2 grams per kilogram of organism did not produce any lasting neurological effects (2, 3, 4). It should be noted that route of administration can be important in the dose required to see an effect from toxic substances; no completed studies on inhalation of jet engine oils or tricresyl phosphate were available. One study which assessed the impact of orally-administered jet engine oil on enzyme activities in the brains of hens found that significant differences occurred in brain chemistry between six weeks exposure when no effect was seen, and 13 weeks, when a 23 to 34% enzyme inhibition could be detected (4). Another study, using dermal exposure in cats, found that exposure levels that did not

initially cause an effect began causing typical organophosphate poisoning effects after an initial exposure period, and that this period was itself dose-dependant (5). Therefore, doses below the recognized threshold for acute exposure could cause an organophosphate-type poisoning if the exposure was long in duration. Tricresyl phosphate also causes a dramatic decrease in fertility in male rats, but not in females (6).

CARBON MONOXIDE

Carbon monoxide (CO) was also produced under simulated oil leak conditions, at levels up to 100 ppm (1). Acute exposure to CO produces headache, dizziness, and nausea; long term exposure can cause memory defects and central nervous system damage, among other effects (7). Mice repeatedly exposed to CO exhibit neurodegeneration in the hippocampal region of the brain, and experience marked learning deficits (8). While most study regarding CO focuses on high exposure levels, some studies on lower exposures (0.28 to 2.8 ppm, 100 ppm) have shown a potential mechanism for oxidative damage to mammalian systems at these exposure levels: release of nitric oxide and the production of a toxic metabolite, peroxynitrite (9, 10).

N-PHENYL-1-NAPHTHYLAMINE

N-phenyl-1-naphthylamine (PAN; CAS # 90-30-2) is an antioxidant most often used in rubber formulations. It is readily absorbed by mammalian systems and rapidly converted to metabolites (11). Most toxicological studies focus on its potential carcinogenicity. One study, using both PAN and the related compound N-phenyl-2-naphthylamine administered subcutaneously to mice found a heightened incidence of lung and kidney cancers (12). A high incidence of various forms of cancer was also found among workers exposed to antirust oil containing PAN (13).

NEUROLOGICAL EFFECTS SUMMARY

Both tricresyl phosphate and CO have been suggested to cause long-term neurological complications. From the available data, the only potential neurological effect of the naphthylamines would be oncological, but there is no evidence to suggest a connection between PAN and brain tumor formation.

LITERATURE CITED

1. van Netten C and Leung V. 2000. Comparison of the constituents of two jet engine lubricating oils and their volatile pyrolytic degradation products. *Appl Occup Environ Hyg* 15 (3): 277-83
2. Mackerer CR, Barth ML, Krueger AJ, Chawla B, and Roy TA. Comparison of neurotoxic effects and potential risks from oral administration or ingestion of tricresyl phosphate and jet engine oil containing tricresyl phosphate. *J Toxicol Environ Health Part A* 57 (5): 293-328
3. Craig PH and Barth ML. 1999. Evaluation of the hazards of industrial exposure to tricresyl phosphate: a review and interpretation of the literature. *J Toxicol Environ Health Part B* 2 (4): 281-300
4. Daughtrey W, Biles R, Jortner B, and Elrich M. 1996. Subchronic delayed neurotoxicity evaluation of jet engine lubricants containing phosphorous additives. *Fund Appl Toxicol* 32 (2): 244-249
5. Abou-Donia MB, Trofatter LP, Graham DG, and Lapadula DM. 1986. Electromyographic, neuropathologic, and functional correlates in the cat as the result of tri-o-cresyl phosphate delayed neurotoxicity. *Toxicol Appl Pharmacol* 83: 126-141
6. Latendresse JR, Brooks CL, Flemming CD, and Capen CC. 1994. Reproductive toxicity of butylated triphenyl phosphate fluids in F344 rats. *Fundam Appl Toxicol* 223: 392-9
7. World Health Organization. 1986. Diseases caused by asphyxiants: Carbon monoxide, Hydrogen cyanide and its toxic derivatives, and Hydrogen sulfide. *Early Detection of Occupational Diseases*. World Health Organization, Geneva. Pp. 154-164.
8. Maurice T, Phan V, Sandillon F, and Urani A. 2000. Differential effect of dehydroepiandrosterone and its steroid precursor pregnenolone against the behavioral deficits in CO-exposed mice. *Eur J Pharmacol* 390: 145-55

9. Thom SR, Yu YA, and Ischiropoulos H. 1997. Vascular endothelial cells generate peroxynitrite in response to carbon monoxide exposure. *Chem Res Toxicol* 10: 1023-31
10. Thom SR and Ischiropoulos H. 1997. Mechanism of oxidative stress from low levels of carbon monoxide. *Res Rep Health Eff Inst* 80: 1-19
11. Miyazaki K, Kawai S, Sasayama T, Iseki K, and Arita T. Absorption, metabolism and excretion of N-phenyl-1-naphthylamine in rat. *Arch Pract Pharm* 47:17-22
12. Wang H-W, Wang D, and Dzeng R-W. 1984. Carcinogenicity of n-phenyl-1-naphthylamine and n-phenyl-2-naphthylamine in mice. *Cancer Research* 44 (7): 3098-3100
13. Jarvholm B and Lavenius B. 1981. A cohort study on cancer among workers exposed to an antirust oil. *Scand J Work Environ Health* 7 (3): 179-184

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE January 2003	3. REPORT TYPE AND DATES COVERED N/A		
4. TITLE AND SUBTITLE Known Harmful Effects Of Constituents Of Jet Oil Cabin Smoke		5. FUNDING NUMBERS		
6. AUTHOR(S) Andrew J. Bobb, Ph.D. Kenneth R. Still, Ph.D., MSC, USN				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Health Research Center Detachment Toxicology NHRC/TD 2612 Fifth Street, Building 433 Area B Wright-Patterson AFB, OH 45433-7903		8. PERFORMING ORGANIZATION REPORT NUMBER TOXDET-03-04		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Naval Health Research Center Detachment Toxicology NHRC/TD 2612 Fifth Street, Building 433 Area B Wright-Patterson AFB, OH 45433-7903		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) The construction of cabin pressurization systems of certain commercial aircraft allows pyrolyzed jet oil to leak into the cabin air, often producing visible smoke. The principal toxic constituents of this smoke are tricresyl phosphate, carbon monoxide, and N-phenyl-L-naphthylamine. Long-term neurological effects alleged by airline workers could be due to tricresyl phosphate and/or carbon monoxide exposure.				
14. SUBJECT TERMS jet oil smoke, tricresyl phosphate, N-phenyl-l-naphthylamine, carbon monoxide		15. NUMBER OF PAGES 8		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

GENERAL INSTRUCTIONS FOR COMPLETING SIF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to *stay within the lines* to meet *optical scanning requirements*.

Block 1. Agency Use Only (*Leave blank*).

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program	WU - Work Unit
Element	Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. (If known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with; Trans. of; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, JTAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents.

DOE - See authorities.

NASA - See Handbook NH13 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

Block 13. Abstract. Include a brief (*Maximum 200 words*) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (*NTIS only*).

Blocks 17. - 19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.